

# Supported and Compatible Compilers – Release 2012a

A number of MathWorks products or product features require that you have a third-party compiler installed on your system. The tables below outline the compilers that are supported by various MathWorks products. These compilers are provided by a number of vendors and are available under a variety of commercial, academic, or open source terms; visit the providers' Web sites for further information.

## Windows (32-bit)

On 32-bit Windows, the lcc C compiler is installed along with MATLAB, providing out-of-the-box support for most MathWorks products. Further options are available as outlined in this table

## MATLAB Product Family – Release 2012a

Compiler	MATLAB For MEX-file compilation and external usage of MATLAB Engine and MAT-file APIs	MATLAB Compiler For C and C++ shared libraries	MATLAB Builder EX For all features	MATLAB Builder NE For all features	MATLAB Builder JA For all features	MATLAB Coder For all features	SimBiology For accelerated computation	Fixed-Point Toolbox For accelerated computation
lcc-win32 v2.4.1 <i>Included with MATLAB</i>	√	√				√	√	√
Microsoft Windows SDK 7.1 <i>Available at no charge; requires .NET Framework 4.0</i>	√	√	√	√ <sup>4</sup>		√	√	√
Microsoft Visual C++ 2010 Professional	√	√	√	√ <sup>4</sup>		√	√	√
Microsoft Visual C++ 2008 Professional SP1	√	√	√	√ <sup>4</sup>		√	√	√
Intel C++ Composer XE 2011 <sup>3</sup>	√							
Open Watcom C/C++ v1.8 <sup>2</sup> <i>Available at no charge</i>	√					√	√	√
Intel Visual Fortran Composer XE 2011 <sup>3</sup>	√							
Microsoft .NET Framework SDK 2.0, 3.0, 3.5 <i>Available at no charge</i>				√ <sup>4, 5</sup>				
Java Development Kit (JDK) 1.6 <i>Available at no charge</i>					√			

## Simulink Product Family – Release 2012a

Compiler	Simulink For S-Function compilation	Simulink For model referencing, Accelerator mode, and MATLAB Function blocks	Simulink For Rapid Accelerator mode	Stateflow For all features	Simulink Coder For all features	Embedded Coder When targeting the host OS	xPC Target For all features	Simulink Code Inspector For all features
Lcc-win32 v2.4.1 <i>Included with MATLAB</i>	√	√	√	√	√	√		√
Microsoft Windows SDK 7.1 <i>Available at no charge; requires .NET Framework 4.0</i>	√	√	√	√	√ <sup>8</sup>	√ <sup>8</sup>	√	√
Microsoft Visual C++ 2010 Professional	√	√	√	√	√	√	√	√
Microsoft Visual C++ 2008 Professional SP1	√	√	√	√	√	√	√	√
Intel C++ Composer XE 2011 <sup>3</sup>	√							√
Open Watcom v1.8 <sup>2</sup> <i>Available at no charge</i>	√	√		√	√	√	√	
Intel Visual Fortran Composer XE 2011 <sup>3</sup>	√ <sup>6</sup>						√ <sup>7</sup>	

### Notes for the Windows (32-bit) Platform

- Support for this version of this compiler will be discontinued in a future release, at which time a new version will be supported. Consult the [platform road map](#) for more information.
- Support for C++ exception handling is limited. You can find more information in [Solution 1-4OKNSV](#).
- Intel compilers depend on tools provided by Microsoft. The following combinations are supported:

	Microsoft Visual Studio 2010 Professional (32-bit)	Microsoft Windows SDK 7.1	Microsoft Visual Studio 2008 SP1 Professional Edition (32-bit)	Microsoft Visual Studio 2008 Shell (32-bit)
Intel C++ Composer XE 2011	√	√	√	
Intel Visual Fortran Composer XE 2011	√	√	√	√

4.To build .NET components, a Microsoft .NET Framework must be installed. The .NET Framework v3.0 does not contain a framework-specific compiler; compatible components can be built using the v2.0 compiler. The .NET Framework is automatically installed by Visual Studio. It can also be downloaded from the Microsoft Web site. To execute applications that use the resulting .NET components, the target machine must have the matching .NET Framework installed.

5.MATLAB Builder NE supports building .NET assemblies but not COM objects when using the Microsoft .NET Framework SDK without Microsoft Visual Studio.

6. Fortran compilers are supported with Simulink only for creating Simulink S-Functions using the MATLAB MEX command. The S-Functions can be used with normal and accelerated simulations.

7. xPC Target supports Fortran code in Simulink models using C-MEX wrapper S-Functions.

8. .sln project generation is not supported when using the Microsoft Windows SDK.

### Windows (64-bit)

For the 64-bit Windows platform, a C compiler is not supplied with MATLAB. A free download is available that is suitable for most users:



For step-by-step installation instructions, see the following [solution](#).

The complete set of supported compilers is described below.

### MATLAB Product Family – Release 2012a

Compiler	MATLAB For MEX-file compilation, loadlibrary, and external usage of MATLAB Engine and MAT-file APIs	MATLAB Compiler For C and C++ shared libraries	MATLAB Builder EX For all features	MATLAB Builder NE For all features	MATLAB Builder JA For all features	MATLAB Coder For all features	SimBiology For accelerated computation	Fixed-Point Toolbox For accelerated computation
<a href="#">Microsoft Windows SDK 7.1</a> <i>Available at no charge; requires .NET Framework 4.0</i>	√	√	√	√ <sup>3</sup>		√	√	√
<a href="#">Microsoft Visual C++ 2010 Professional</a>	√	√	√	√ <sup>3</sup>		√	√	√
<a href="#">Microsoft Visual C++ 2008 Professional SP1 and Windows SDK 6.1</a> <sup>1</sup>	√	√	√	√ <sup>3</sup>		√	√	√
<a href="#">Intel C++ Composer XE 2011</a> <sup>2</sup>	√							
<a href="#">Intel Visual Fortran Composer XE 2011</a> <sup>2</sup>	√							
<a href="#">Microsoft .NET Framework SDK 2.0, 3.0, 3.5</a> <i>Available at no charge</i>				√ <sup>3,4</sup>				
<a href="#">Java Development Kit (JDK) 1.6</a> <i>Available at no charge</i>					√			

## Simulink Product Family – Release 2012a

Compiler	Simulink For S-Function compilation	Simulink For Model Referencing, Accelerator mode, Rapid Accelerator mode, and MATLAB Function blocks	Stateflow For all features	Simulink Coder For all features	Embedded Coder When targeting the host OS	xPC Target For all features	Simulink Code Inspector For all features
Microsoft Windows SDK 7.1 <i>Available at no charge; requires .NET Framework 4.0</i>	√	√	√	√ <sup>7</sup>	√ <sup>7</sup>	√	√
Microsoft Visual C++ 2010 Professional	√	√	√	√	√	√	√
Microsoft Visual C++ 2008 Professional SP1 and Windows SDK 6.1 <sup>1</sup>	√	√	√	√	√	√	√
Intel C++ Composer XE 2011 <sup>2</sup>	√						√
Intel Visual Fortran Composer XE 2011 <sup>2</sup>	√ <sup>5</sup>					√ <sup>5</sup>	

### Notes for the Windows (64-bit) Platform

1.Both Microsoft Visual Studio 2008 and Windows Software Development Kit (SDK) 6.1 must be installed. When installing Microsoft Visual Studio, you must choose “X64 Compilers and Tools” when installing Microsoft Visual Studio; this is not selected by default.

2.Intel compilers depend on tools provided by Microsoft. The following combinations are supported:

	Microsoft Visual Studio 2010 Professional (64-bit)	Microsoft Windows SDK 7.1	Microsoft Visual Studio 2008 SP1 Professional Edition (64-bit)	Microsoft Visual Studio 2008 Shell (64-bit)
Intel C++ Composer XE 2011	√	√	√	
Intel Visual Fortran Composer XE 2011	√	√	√	√

3. To build .NET components, a Microsoft .NET Framework must be installed. The .NET Framework v3.0 does not contain a framework-specific compiler; compatible components can be built using the v2.0 compiler. The .NET Framework is automatically installed by Visual Studio. It can also be downloaded from the Microsoft Web site. To execute applications that use the resulting .NET components, the target machine must have the matching .NET Framework installed.

4.MATLAB Builder NE supports building .NET assemblies but not COM objects when using the Microsoft .NET Framework SDK without Microsoft Visual Studio.

5.Fortran compilers are supported with Simulink only for creating Simulink S-Functions using the MATLAB MEX command. The S-Functions can be used with normal and accelerated simulations.

6.xPC Target supports Fortran code in Simulink models using C-MEX wrapper S-Functions.

7..sln project generation is not supported when using the Microsoft Windows SDK.

## Linux (32-bit and 64-bit)

On Linux, no C compiler is supplied with MATLAB. The GNU compiler (gcc) is included with many Linux distributions.

### MATLAB Product Family – Release 2012a

Compiler	MATLAB For MEX-file compilation, loadlibrary, and external usage of MATLAB Engine and MAT-file APIs	MATLAB Compiler For C and C++ shared libraries	MATLAB Builder JA For all features	MATLAB Coder For all features	SimBiology For accelerated computation	Fixed-Point Toolbox For accelerated computation
GNU gcc/g++ 4.4.x <i>Available at no charge</i>	√	√		√	√	√
GNU gfortran 4.3.x <i>Available at no charge</i>	√					
Java Development Kit (JDK) 1.6 <i>Available at no charge</i>			√			

### Simulink Product Family – Release 2012a

Compiler	Simulink For S-Function compilation	Simulink For model referencing, Accelerator mode, Rapid Accelerator mode, and MATLAB Function blocks	Stateflow For all features	Simulink Coder For all features	Embedded Coder When targeting the host OS	Simulink Code Inspector For all features
GNU gcc/g++ 4.4.x <i>Available at no charge</i>	√	√	√	√	√	√
GNU gfortran 4.3.x <i>Available at no charge</i>	√ 1					

To determine the version of your compiler, see [Solution 1-1880F](#).

### Notes for the Linux (32-bit and 64-bit) Platform

1. Fortran compilers are supported with Simulink only for creating Simulink S-functions using the MATLAB MEX command. The S-functions can be used with normal and accelerated simulations.

## Mac OS X

On the Mac, no C compiler is supplied with MATLAB. If you use products that require one, Apple's development environment for OS X (Xcode) is available in the Mac App Store.

### MATLAB Product Family – Release 2012a

Compiler	MATLAB For MEX-file compilation, loadlibrary, and external usage of MATLAB Engine and MAT-file APIs	MATLAB Compiler For C and C++ shared libraries	MATLAB Builder JA For all features	MATLAB Coder For all features	SimBiology For accelerated computation	Fixed-Point Toolbox For accelerated computation
Apple Xcode 4.6, 4.5, 4.4 or 4.3 <i>Patch required; see Solution 1-FR6LXJ</i>	√ <sup>1</sup>	√ <sup>1</sup>		√ <sup>1</sup>	√ <sup>1</sup>	√ <sup>1</sup>
Apple Xcode 4.1 <i>For use with Mac OS X 10.7 (Lion)</i>	√	√		√	√	√
Apple Xcode 4.0 <i>For use with Mac OS X 10.6 (Snow Leopard)</i>	√	√		√	√	√
GNU gfortran 4.3.x <i>Available at no charge</i>	√					
Java Development Kit (JDK) 1.6 <i>Available at no charge</i>			√			

### Simulink Product Family – Release 2012a

Compiler	Simulink For S-Function compilation	Simulink For model referencing, Accelerator mode, Rapid Accelerator mode, and MATLAB Function blocks	Stateflow For all features	Simulink Coder For all features	Embedded Coder When targeting the host OS
Apple Xcode 4.6, 4.5, 4.4 or 4.3 <i>Patch required; see Solution 1-FR6LXJ</i>	√ <sup>1</sup>	√ <sup>1</sup>	√ <sup>1</sup>	√ <sup>1</sup>	√ <sup>1</sup>
Apple Xcode 4.1 <i>For use with Mac OS X 10.7 (Lion)</i>	√	√	√	√	√
Apple Xcode 4.0 <i>For use with Mac OS X 10.6 (Snow Leopard)</i>	√	√	√	√	√
GNU gfortran 4.3.x <i>Available at no charge</i>	√ <sup>2</sup>				

To determine the version of your compiler, see [Solution 1-1880F](#).

### Notes for the Mac Platform

1. A patch is required to add support for Xcode 4.6, 4.5, 4.4 and 4.3. See [Solution 1-FR6LXJ](#) for the patch and installation instructions.
2. Fortran compilers are supported with Simulink only for creating Simulink S-functions using the MATLAB MEX command. The S-functions can be used with normal and accelerated simulations.